


NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD

REVISION INFORMATION			
Rev.	Rev.Date	Modified By	Brief Description
A/0	2022.06.15	XYH	NEW
A/1	2024.11.26	LQF	△ Add customer material number and update the drawing



Jacket:OD:9.25±0.3mm
 Insulation:OD:3.3±0.2mm
 Conductor:14AWGx3C(At 20°C,Max resistance 9.05Ω/km)
 The cross-sectional area is a nominal value, which is not the judgment value of the conductor. The conductor finally determines whether it meets the standard by the resistance value.

- REMARKS:
- 1.PLUG(SF-301) RATED POWER:125V/250 15A
 - 2.CONNECTOR(SF-300) RATED POWER:125V/250V 15A
 - 3.WIRE: SJT 3X14AWG 60°C RATED VOLTAGE:300V
 - 4.DVV TEST:1500V,1S
 - 5.POLARIZATION AND CONTINUITY TEST
 - 6.COLOR: BLACK
 - 7.COMPLY WITH UL60320 STANDARD

Customer Item NO.	Cable Color	Molding Color	SF-301 (C20) Bracket Color	Length (MM)
210334BK	Black	Black	Black	1830±30
△ 210332BK	Black	Black	Black	610±15
△ 210335BK	Black	Black	Black	3050±30

No.	PART NAME	SPECIFICATION DESCRIPTION	Q'TY	UNIT
⑧	Current Label	Indoor Use Label 15A 125V/250V~	1	PC
⑦	Molding	Molding 40P PVC Black	AR	AR
⑥	Bracket	IEC C19 SF-300 Female Three plug One piece of inner frame Black	1	SET
⑤	Terminal	IEC C19 SF-300 Female Three plug Straight insert of terminal Nickel plated 14AWG	3	PCS
④	Bracket	IEC C20 SF-301 Male Three plug One piece of inner frame Black	1	SET
③	Terminal	IEC C20 SF-301 Male Three plug Straight insert of Current terminal Nickel plated 14AWG	2	PCS
②	Terminal	IEC C20 SF-301 Male Three plug Straight insert of Grounding terminal Nickel plated 14AWG	1	PC
①	CABLE	SJT 14AWG 3C 105°C PVC 300V VW-1	1	PC

Unless specified on the drawing,tolerances are per the follows:
 · +1
 .x +0.2
 .xx +0.05


WIRE MARKING (Hollow) NO.840	(UL) E135710-F7 SJT 3X14AWG 60°C 300V VW-1 c(UL) SJT 3X2.08mm2(14AWG) 60°C 300V FT2 YFC-BONEAGLE
------------------------------	---



DRAWN BY LQF	DATE 2024.11.26	DESCRIPTION: SF-301+SF-300 SJT 3X14AWG 60°C BK
CHECKED BY [Signature]	SHEET 1 Of 1	ITEM NO.210334BK. 210332BK. 210335BK
APPROVED BY [Signature]	SCALE 1:1	REV.00 UNIT:mm

NOTE: CARTON MATERIAL MUST BE A=A


REVISION INFORMATION			
Rev.	Rev.Date	Modified By	Brief Description
A/0	2022.06.15	XYH	NEW
A/1	2024.11.26	LQF	△ Add customer material number and update the drawing



PE bag size	Item No.	Length(mm)	Q'TY	Carton size(cm)
150x320x0.08	210334BK	1830±30	50	50x32x23
150x320x0.08	210332BK△	610±15	120	50x32x23
150x320x0.08	210335BK△	3050±30	50	50x32x25

WARNING : To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.

WARNING : This product can expose to Phthalates, which is known to the State of California to cause cancer and reproductive harm. For more information go to www.P65Warnings.ca.gov.




$\frac{D}{2:1}$

$\frac{E}{4:1}$

DRAWN BY LQF	DATE 2024.11.26	DESCRIPTION: SF-301+SF-300 SJT 3X14AWG 60°C BK
CHECKED BY	SHEET 1 Of 1	ITEM NO.210334BK. 210332BK. 210335BK
APPROVED BY	SCALE 1:1	REV.00 UNIT:mm

NOTE: CARTON MATERIAL MUST BE A=A

REVISION INFORMATION			
Rev.	Rev.Date	Modified By	Brief Description
A/0	2022.06.15	XYH	NEW
A/1	2024.11.26	LQF	△ Add customer material number and update the drawing



WARNING
 To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages, or playpens. This bag is not a toy.

Arial 字體 10pt

WARNING: This product contains PVC Which can expose you to chemicals including diisononyl phthalate (DINP) which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov


Arial 字體 7pt

PE bag size	Item No.	Length(mm)	Q'TY	Carton size(cm)
380x400x0.08	210334BK	1830±30	50	50x32x23
300x380x0.08	210332BK△	610±15	120	50x32x23
380x500x0.08	210335BK△	3050±30	40	50x32x25

Arial 字體 7PT
 透氣孔
 熱封線
 10PCS/BAG

Main Mark

P/O:
 P/N:
 Q'TY:
 C/NO.:
 MADE IN Philippines



Side Mark

P/N:
 Q'TY: PCS
 N.W.: KGS
 G.W.: KGS
 Date Code:
 Vender Code: Y3PHT



DRAWN BY LQF	DATE 2024.11.26	DESCRIPTION: SF-301+SF-300 SJT 3X14AWG 60°C BK
CHECKED BY	SHEET 1 Of 1	ITEM NO.210334BK. 210332BK. 210335BK
APPROVED BY	SCALE 1:1	REV.00 UNIT:mm