



NOTE: ALL MATERIAL COMPLIANT ROHS STANDARD

	REVISION INFORMATION				
F	⊰ev.	Rev. Date	Modified By	Brief Description	









plastic housing color:white

requiremen 1.hi-pot testin

2.internal checking.

3.polarization checking.4.grounding continuity testing.

3						
2						
1						
NO.	PART NAME	SPECIFICATION DESCRIPTION	QT'Y	UNIT		



114x127mm









3-Outlet Wall Adapter

Converts a Single Outlet into 3 Grounded Outlets Rated: 125VAC / 15A / 1875W

CAUTION

To reduce the risk of electrical shock use only indoors and in dry location. This is not a surge protector. Do not overload the outlets. 15 amp, 1875 watts maximum. Make sure to plug this unit into a 110/120 volt rate receptacle.

WARNING

Disregarding cautions could cause damage, fire, or fatal shock.

FOR INDOOR USE IN DRY LOCATIONS.



California Proposition 65 Warning:


- This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harms.
- Wash hands after handling the product.



<u>⊮</u>₅ 03M

MADE IN CHINA

↑ WARNING: This product contains PVC Which can expose you to chemicals including dissonoryl phthalate (DINP) which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov



Carton Quantity: 40 pcs Carton Weight: 5.74 LBS



DATE: DESCRIPTION: 2016-06-14 3-OUTLET GROUNDED **DRAWN BY** CHECKED BY ITEM NO. 210501 SHEET 1of2

APPROVED BY REV. 00 SCALE 1:1

UNIT:mm 🖶 🕣

Brief Description